### MATERIAL SAFETY DATA SHEET



## SLR 2000 Waterproof Membrane

The information contained within this Technical Data, details product description, health and safety hazard information of the product and how to safely handle and use the product in the workplace. Also refer to MSDS for more information. Each user of this product should read the MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Demtech Australia Pty Ltd. Demtech Australia Pty Ltd makes no representation as to the completeness and accuracy of the data contained in this data sheet. It is the user's obligation to evaluate and use this product safely, and to comply with all relevant federal, state and local Government laws and regulations. Demtech Australia Pty Ltd shall not be responsible for loss, damage or injury resulting from reliance upon or failure to adhere to any recommendation or information contained herein, from abnor-mal use of the material, or any hazard inherent in the nature of the material.

#### STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to criteria of Worksafe Australia.

IDENTIFICATION		
Product Name	Cureflex – SLR2000 Waterproof Membrane	
Other Names	None	
UN Number	None assigned	
Dangerous Goods Class	None assigned	
Subsidiary Risk	None assigned	
Shipping Name	None assigned	
Hazchem Code	None assigned	
Poisons Schedule Number	None assigned	

Major recommended uses

Waterproof membrane for wet areas



Ref: Cureflex SLR2000 – MSDS Date of Issue: APRIL 2020

### MATERIAL SAFETY DATA SHEET



# SLR 2000 Waterproof Membrane

### **IDENTIFICATION Cont.**

Physical Description / Properties		
Appearance	Violet thixotropic liquid/paste	
Boiling Point (°C)	100 °C approx. (water)	
Vapour Pressure	As for water	
Specific Gravity	1.3kg/L	
Flashpoint (°C)	N/A	
Flammability Limits	N/A	
Solubility in Water	Completely miscible	

#### **Other Properties**

Evaporation Rate	Slower than butyl acetate
Vapour Density	Heavier than air
Form	Liquid
Stability	Stable
Hazardous Polymerisation	Will not occur
Materials to avoid	Strong acids and oxidizing agents Does not mix with water

INGREDIENTS		
CAS Number:	Proportion:	
-	40 – 70%	
1310-73-2	0-0.20%	
100-42-5	0-0.10%	
	<b>CAS Number:</b> - 1310-73-2	

**Contents:** High >60% Medium 10 – 60% Low 1 – 10% Very Low <1% \*Other ingredients determined not to be hazardous, including water, to 100%.





### HEALTH HAZARD INFORMATION

Health Effects		
Acute:		
Swallowed	No data supplied; but polymer is not expected to be harmful.	
Eye	May be an eye irritant.	
Skin	Prolonged or repeated contact with skin may result in slight skin irritation.	
Inhaled	Excessive exposure to vapours or spray mist may cause slight irritation to eyes, nose and throat.	
Chronic:	Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapours especially at higher temperatures. As with any chemical product, contact with unprotected bare skin; inhalation of vapour, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.	
Swallowed	No data supplied; but polymer is not expected to be harmful.	
Eye	Prolonged exposure may be an eye irritant.	
Skin	Prolonged exposure may result in slight skin irritation.	
Inhaled	Prolonged exposure to vapours or spray mist may cause slight irritation to eyes, nose and throat.	
	First Aid	
Swallowed	Give plenty of water. Seek medical assistance.	
Eye	Immediately flush with large amounts of water for at 5-10 minutes; lifting upper and lower lids. Seek medical attention if irritation persists.	
Skin	Wash with water and soap. Seek medical attention if irritation persists.	
Inhaled	If affected, move subject to fresh air. Seek medical assistance if symptoms persist.	
First Aid Facilities	Ensure availability of eye wash fountains and/or water access.	
Advice to Doctor	Treat symptomatically.	





### PRECAUTIONS FOR USE

**Exposure Standards** - As established by the NOHSC

Chemical Name:	STL:		TWA:	
	mg/m3	ppm	mg/m3	ppm
Sodium Hydroxide	-	-	2	-
Styrene	426	100	213	50
* 0 () 5 . (			1	• • •

\* Other Exposure information: Exposure standards not established for product, or other ingredients.

Engineering Controls	General ventilation is recommended during normal use. Local ventilation may be required during certain operations to prevent inhalation of vapours.

#### **Personal Protection**

Respirator Type (AS/NZS 1716)	Where concentrations in air may exceed the recommended exposure limits, or work practice or other means of exposure reduction are not adequate, ap- proved respirator may be necessary to prevent overexposure by inhalation.
Glove Type	Neoprene/rubber gloves.
Eye Protection	Safety glasses as appropriate
Clothing	Protective clothing to cover body parts, e.g. long sleeved overalls or similar; and boots.
Other	Wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals.
Flammability Fire Hazards	Product is non flammable according to the Australian Code for the Transport of Dangerous Goods; however dried film will burn in a general fire.

### SAFE HANDLING INFORMATION

 Storage and Transport

 Location
 Store in a dry cool area to prolong storage life.

 Temperature Conditions
 Best stored at room temperature; Prevent from freezing.

 Protection from Weather
 Store undercover and away from heat sources, water and electric plant.

 Storage Incompatibilities
 N/A





	SPILLS AND DISPOSAL
Clean Up spills and leaks	<ul> <li>While product remains wet, floors will be slippery. Caution must be taken.</li> <li>Small spills: Wipe up and wash area with water.</li> <li>Large spills: Dike and contain spill with sand or earth.</li> <li>Do not contaminate streams, rivers, or water courses. Do not flush down drains and sewers. Inform local authority if liquid enters drains, sewers, streams, etc.</li> <li>Clean up before the material dries. Absorb the liquid with sand, earth or other absorbent. Place used absorbent in suitable, sealable labelled containers.</li> </ul>
Disposal	Dispose of in accordance with Local, State and Federal regulations.
Precautions for Clean Up Crew	Nitrile rubber or PVC gloves.
	FIRE / EXPLOSION HAZARDS
Hazard of Use / Storage	Product will not support combustion. Polymer will burn in a general fire, once all the water has been driven off.
List of Dangerous Decomposition or Combustion Products	Carbon monoxide, carbon dioxide, oxides of nitrogen, fumes and smoke.
Types of Extinguisher	Water, foam, CO <sup>2</sup> and dry chemical.
Precautions	Fire fighters should wear self-contained breathing apparatus.
Protective Clothing	None
Reactivity	None
	OTHER INFORMATION

	OTHER INFORMATION
Ecology	Avoid contaminating waterways and sewers.
Packaging and Labelling	5 and 15L pails





CONTACT POINT		
Technical Department	Demtech Australia Pty Ltd (ABN: 91 131 136 706) 16 Logis Blvd, Dandenong South VIC 3175 Australia www.demtech.com.au Support: 1300 300 090	
Australia Poisons Information Centre	13 11 26	
Police and Fire Brigade	000	
General	The information contained herein is based on present state of our knowledge and does not guarantee certain properties. Recipients of our products must take responsibility for observing laws and regulations. The information contained within is published free of charge in good faith and is based on technical data that Demtech Australia Pty Ltd considers to be reliable.	
Disclaimer	The information within is intended for use by skilled and/or persons with technical knowledge. They required to make their own assessment and use product at their own risk and discretion. Information contained in this product sheet conforms to the standard detail recommendations and specification for the use of Demtech Australia products as of the date of this document. Demtech Australia Pty Ltd make no other warranties and assumes no liability, expressed or implied. To ensure that you are using the most complete and up to date information, contact Demtech Australia Pty Ltd.	