



# SAFETY DATA SHEET

## AUS - CRETE PREMIUM INDUSTRIAL

Infosafe No.: LQ79F  
ISSUED Date : 26/07/2021  
ISSUED by: AUSTRALASIAN TILING  
ADHESIVES PTY LTD

### Section 1 - Identification

**Product Identifier**

AUS - CRETE PREMIUM INDUSTRIAL

**Company Name**

AUSTRALASIAN TILING ADHESIVES PTY LTD (ABN 92 154 228 207)

**Address**

3 Progress Crt Laverton North  
Vic 3026 AUSTRALIA

**Telephone/Fax Number**

Tel: 0418 943 097  
Fax: 03 9314 8343

**Emergency Phone Number**

0418 943 097

**Recommended use of the chemical and restrictions on use**

Tile adhesive

### Section 2 - Hazard(s) Identification

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Carcinogenicity: Category 1A

Eye damage/irritation: Category 1

Skin corrosion/irritation: Category 2

Specific target organ toxicity (repeated exposure): Category 1

Specific target organ toxicity (single exposure): Category 3 (Respiratory tract irritation)

**Signal Word (s)**

DANGER

**Hazard Statement (s)**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H350 May cause cancer by inhalation.

H372 Causes damage to organs through prolonged or repeated exposure by inhalation.

**Pictogram (s)**

Health hazard, Corrosion, Exclamation mark



#### Precautionary Statement – Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

#### Precautionary Statement – Response

- P302+P352 IF ON SKIN: Wash with plenty of water.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.

#### Precautionary Statement – Storage

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.

#### Precautionary Statement – Disposal

- P501 Dispose of contents/container to an approved waste disposal plant.

### Section 3 - Composition and Information on Ingredients

#### Ingredients

Name	CAS	Proportion
Portland cement	65997-15-1	30-60 %
Silica crystalline - quartz	14808-60-7	30-60 %
Limestone	1317-65-3	0-10 %
Ingredients determined not to be hazardous.		Balance

### Section 4 - First Aid Measures

#### Inhalation

If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

#### Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

#### Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

### **First Aid Facilities**

Eyewash, safety shower and normal washroom facilities.

### **Advice to Doctor**

Treat symptomatically

### **Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

---

## **Section 5 - Firefighting Measures**

### **Suitable Extinguishing Media**

Use appropriate fire extinguisher for surrounding environment.

### **Hazards from Combustion Products**

Non combustible material.

### **Specific hazards arising from the chemical**

This product is non combustible. However heating can cause expansion or decomposition leading to violent rupture of containers.

### **Decomposition Temperature**

Not available

### **Precautions in connection with Fire**

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode.

Fight fire from safe location.

---

## **Section 6 - Accidental Release Measures**

### **Emergency Procedures**

Increase ventilation. Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

---

## **Section 7 - Handling and Storage**

### **Precautions for Safe Handling**

Avoid inhalation of dust, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Avoid exposure. Do not handle until all safety precautions have been read and understood.

### **Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

---

## **Section 8 - Exposure Controls and Personal Protection**

### **Occupational exposure limit values**

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Crystalline silica (quartz)

TWA: 0.05 mg/m<sup>3</sup>

Notice: Carc.1A

Portland cement

TWA: 10 mg/m<sup>3</sup>

Limestone  
TWA: 10 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Carc.1A: Known to have carcinogenic potential for humans.

#### Biological Monitoring

No biological limits allocated.

#### Control Banding

Not available

#### Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing solid/dust away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.

#### Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### Eye and Face Protection

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

#### Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

#### Thermal Hazards

No further relevant information available.

#### Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Powder	Appearance	Off white - light grey powder
Colour	Off white - light grey	Odour	No distinctive odour
Melting Point	>1200°C	Boiling Point	>1200°C
Decomposition Temperature	Not available	Solubility in Water	Soluble
Specific Gravity	Approx. 1600kg/m <sup>3</sup> (23°C)	pH	>11
Vapour Pressure	Not available	Relative Vapour Density (Air=1)	Not available
Evaporation Rate	Not available	Coefficient Water/Oil Distr.	Not available
Odour Threshold	Not available	Viscosity	Not available
Partition Coefficient: n-octanol/water (log value)	Not available	Flash Point	Not applicable
Flammability	Non combustible	Auto-Ignition Temperature	Not applicable
Explosion Limit - Upper	Not applicable	Explosion Limit - Lower	Not applicable

## Section 10 - Stability and Reactivity

---

### Chemical Stability

Products containing calcium Aluminate cement will hydrate and solidify when mixed with water.

### Possibility of hazardous reactions

Not available

### Conditions to Avoid

Extremes of temperature and direct sunlight.

### Incompatible Materials

Not available

### Hazardous Decomposition Products

May form increased quantities of crystalline silica, possibly including Cristobalite silica (SiO<sub>2</sub>) after being exposed to high temperatures (>900 deg C) during product service life.

### Reactivity and Stability

Reacts with incompatible materials.

### Hazardous Polymerization

Will not occur.

## Section 11 - Toxicological Information

---

### Toxicology Information

No toxicity data available for this material.

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

### Inhalation

May cause respiratory irritation. Inhalation of product dust can cause irritation of the nose, throat and respiratory system. Chronic exposure to this material may aggravate existing respiratory disorders and lung disorders such as bronchitis, emphysema and asthma. Onset and progression are related to dust concentrations and duration of exposure.

Repeated exposure to respirable crystalline silica dust may lead to silicosis, or other serious delayed lung injury. The onset of silicosis is usually slow and lung damage may occur even when no symptoms or signs of ill-health have occurred. Silicosis can develop to a more serious degree even after exposure has ceased, and may also lead to other diseases including heart disease and scleroderma. Exposure by inhalation may aggravate pre-existing upper respiratory and lung disorders such as bronchitis, emphysema and asthma.

### Skin

Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

### Eye

Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

### Respiratory Sensitisation

Not expected to be a respiratory sensitiser.

### Skin Sensitisation

Not expected to be a skin sensitiser.

### Germ Cell Mutagenicity

Not considered to be a mutagenic hazard.

### Carcinogenicity

May cause cancer. Classified as a Known or presumed human carcinogen.

This product contains crystalline silica. Crystalline Silica (respirable size) has been classified by the International Agency for Research on Cancer (IARC) as Carcinogenic to Humans (Group 1).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT - Single Exposure**

May cause respiratory irritation.

**STOT - Repeated Exposure**

Causes damage to organs lungs through prolonged or repeated exposure by inhalation.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

## Section 12 - Ecological Information

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

**Hazardous to the Ozone Layer**

This product is not expected to deplete the ozone layer.

## Section 13 - Disposal Considerations

---

**Disposal Considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations. To minimise personal exposure to the chemical, refer to Section 8—Exposure controls and personal protection.

## Section 14 - Transport Information

---

**Transport Information**

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**ADG U.N. Number**

None Allocated

**ADG Proper Shipping Name**

None Allocated

**ADG Transport Hazard Class**

None Allocated

**Special Precautions for User**

Not available

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

---

**Section 15 - Regulatory Information**

---

**Regulatory Information**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

Not Scheduled

**Montreal Protocol**

Not listed

**Stockholm Convention**

Not listed

**Rotterdam Convention**

Not listed

**International Convention for the Prevention of Pollution from Ships (MARPOL)**

Not available

**Agricultural and Veterinary Chemicals Act 1994**

Not available

**Basel Convention**

Not available

---

**Section 16 - Any Other Relevant Information**

---

**Date of Preparation**

SDS Reviewed: July 2021 SDS Superseded: July 2016

**Version Number**

2.0

**Literature References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals.

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.