

# GT-ULTRA®

## HEAVY DUTY CLEANER & DEGREASER

**GT-ULTRA®** is a concentrated, high-alkaline cleaner and degreaser. **GT-ULTRA®** Cleaner effectively removes grease, soap scum and other organic materials from areas that have been neglected or subjected to heavy use.

### KEY FEATURES

- For heavily soiled and neglected areas.
- Cleans ground-in dirt, grease, soap scum, and other organic materials.

### SUITABLE TILE TYPES

Natural stone (such as granite, limestone, slate and travertine), ceramic, porcelain, quarry, Saltillo, terra-cotta, cement pavers, masonry surfaces, linoleum or resilient flooring.

### LIMITATIONS TO THE PRODUCT

- Do not allow cleaner to come in contact with any non-recommended surface.
- May adversely affect grout joints that have been coated with colorant or grout stain.
- Regular use of high-alkaline cleaners will reduce sealer life.

### TECHNICAL DATA

#### TECHNICAL PROPERTIES CHART

- Removes common dirt and grease.
- Removes acrylic waxes and coatings.
- Complies with all federal EPA and SCAQMD standards for VOC.

### INSTRUCTIONS APPLICATION OF PRODUCT

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**

Read entire label before using. Put on rubber gloves and eye protection. Sweep, vacuum, or wipe surface. **GT-ULTRA®** as follows:

- **LIGHT SOIL BUILDUP:**  
Mix 1 part cleaner to 5 parts water.
- **MODERATE SOIL BUILDUP:**  
Mix 1 part cleaner to 3 parts water.
- **STRIPPING OR HEAVY SOIL BUILDUP:**  
Mix 1 part cleaner to 2 parts water.



# PRODUCT DATA SHEET: CLEANERS AND SEALERS: GT ULTRA®

## CLEANING OF EQUIPMENT

Clean tools with water before material dries.

## STORAGE

- Close container tightly after each use.
- Store in original container only.
- Store in and use in temperatures between 45°F to 85°F (7°C to 29°C).
- Store in areas inaccessible to small children.
- Do not reuse empty container, wrap and discard in trash or recycle.

## TECHNICAL CHART

Property	Test Method	Requirement	Typical Results
	pH	n/a	11-12 (alkaline)

## HEALTH PRECAUTIONS

### **CORROSIVE. CAUSES BURNS. HARMFUL IF SWALLOWED.**

Wear skin and eye protection. Do not breathe vapor or spray. Contains sodium hydroxide and ethylene glycol monobutyl ether. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, remove to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting. Seek medical attention.

## Field Support

Field support where provided, does not constitute supervisory responsibility. Suggestions made by **ATECH®** either verbally or in writing may be followed, modified or rejected by the owner, engineer or contractor since they and not **ATECH®** are responsible for carrying out procedures appropriate to a specific application.

## Customer Responsibility

The technical information and application advice given in this publication is based on the best information available at time of print. As the information herein is of a general nature, no assumption can be made as to the products suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by Commonwealth or State Legislation. The owner, his representative or the contractor is responsible for checking the suitability of products for their intended use.

## Safety Precautions

These products may cause allergic reactions through skin contact, goggles, protective gloves and overalls must be worn. Ensure that there is adequate ventilation and avoid breathing the vapour.

## Exclusion Clause

1. The information contained in this data sheet is based on many years experience and is correct to the best of our knowledge. **ATECH®** will be under no liability whatsoever whether in:
  - a) Contract or tort (including, without limitation, negligence)
  - b) Breach of statute
  - c) Any other legal or equitable obligation other than the quality of the product at the time of despatch.
2. Any queries about specification use or application should be directed to our technical service department immediately.
3. This exclusion clause does not operate to exclude any warranty that by law may not be excluded.

